

Message

---

**From:** Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]  
**Sent:** 1/22/2020 2:00:27 PM  
**To:** Nonresponsive based on revised scope  
**Subject:** Fwd: Shiloh Church Road / 3-5467[3080675]  
**Attachments:** 3080675\_935725\_fr.PDF; ATT00001.htm

fyi

Begin forwarded message:

**From:** Nonresponsive based on revised scope  
**Date:** January 22, 2020 at 5:36:11 AM EST  
**To:** "Wagner, Christine" <Wagner.Christine@epa.gov> Nonresponsive based on revised scope  
**Nonresponsive based on revised scope**  
**Subject:** FW: Shiloh Church Road / 3-5467[3080675]

See attached lab data on mound areas and pile 8.  
Did START do PCB testing on pile 8?

Nonresponsive based on revised scope

-----Original Message-----

**From:** Nonresponsive based on revised scope  
**Sent:** Tuesday, January 21, 2020 10:23 PM  
**To:** Nonresponsive based on revised scope  
**Subject:** Shiloh Church Road / 3-5467[3080675]

The following reports are attached:

WO 3080675 , Work ID Shiloh Church Road / 3-5467 []

--- End Of List ---

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.